Safety Data Sheet (SDS)

Date prepared 1-Feb-2024 Date revised -

Applicable products	CHUKOH FLO™ Fabric	FGP Series, FGA Series, MS Series
1. Product and company identification	ation	
	Product name Product code	See the applicable products above. -
	Company name Address	CHUKOH CHEMICAL INDUSTRIES, LTD. ATT New Tower 10F, 2-11-7, Akasaka, Minato-ku, Tokyo
	Telephone Fax Recommended use Restrictions on use Information on domestic	03-6230-4414/81-3-6230-4417 03-6230-4413/81-3-6230-4446 For industrial use For industrial use See above
	manufacturers, etc.	
2. Hazards identification		
GHS Classification		Not applicable
GHS label elements		Not applicable
Pictures or symbols		No information available
Warning statements		No information available
Hazard information		No information available
Cautionary statements		No information available
Other hazards not related to o addressed by the GHS classification	br	No information available
Summary of important indicati and possible emergencies	ons	No information available
Other		Not hazardous under normal handling. Heating fluorocarbon resin produces pyrolysis products (fumes), which may cause eye, nose, and lung irritation if inhaled.

3. Composition/information on ingredients Substance/Mixture

Mixture

		Reference No. in gazetted list in Japan		
Chemical name or generic name	Concentration or concentration ranges	Chemical Substances Control Law	Industrial Safety and Health Act	CAS No.
Fluoro resin	38-85%	-	-	-
Glass	15-62%	Not applicable(M ixture)		65997-17-3

Ingredients contributing to GHS classification

No information available

4. First-aid measures

Inhalation

If fumes from heating or burning are inhaled, remove to fresh air and keep at rest in a position comfortable for breathing.

Seek medical advice/attention if you feel unwell.

	FABRIC FGP Series, FGA Series, MS	Series CHUKOH CHEMICAL INDUSTRIES, LTD. 1-Feb-2024
Skin contact		Wash with plenty of soap and water. If molten polymer contacts skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Seek medical advice/attention if irritation occurs.
Eye contact		Flush eyes cautiously with water for several minutes. Seek medical advice/attention if irritation persists.
Ingestion		Rinse mouth. Seek medical advice/attention if you feel unwell.
The most impo delayed sympto	rtant manifestations of acute and oms	No information available
	cessary for the protection of persons st-aid measures	No information available
Special precaut	tions for physicians	No information available
5. Fire-fighting me Appropriate fire	easures e extinguishing media	Use extinguishing media appropriate for surrounding fire: Water, foam, powder, etc.
Fire extinguishi case of fire	ng media that should not be used in	No information available
Specific fire ha	zards	This product hardly flammable. Fire may produce irritating, corrosive, and/or toxic gas.
Specific fire ex	tinguishing methods	Move product from fire area if you can do so without risk. Fight fire from maximum distance and use unmanned hose holders or monitor nozzles.
Special protect firefighters	ive equipment and precautions for	Wear self-contained breathing apparatus (SCBA). Firefighters should wear protection clothing and self- contained breathing apparatus (SCBA).
Cautions		When fluorocarbon resin is exposed to high temperatures, it produces harmful particulates, fumes, and gases. In case of fire, evacuate upwind as far as possible to avoid inhalation.
6. Accidental relea	ase measures	
Personal preca emergency pro	utions, protective equipment and cedures	Wear suitable protective equipment (see Section 8, Exposure controls/personal protection) to prevent inhalation and exposure of eyes or skin.
Environmental	precautions	Avoid discharge to rivers and environmental effects.
Methods and m	naterials for containment and cleaning up	Break into small pieces. Collect if scatter. Dispose in accordance with Section 13.
Measures to pr	event secondary accidents	No information available
7. Handling and sto	orage	
Handling	Technical measures	Install equipment in Section 8, Exposure controls/personal protection. Wear protective equipment.

F	FABRIC FGP Series,FGA Series,MS	Series CHUKOH CHEMICAL INDUSTRIES, LTD. 1-Feb-2024 3 / 6
	Precautions for safe handling	Do not smoke where this product is handled. Do not carry cigarettes, cigars or tobaccos and do not smoke in the workplace as decomposition gas may be inhaled by smoking if the substance contacts them. Wash hands thoroughly after handling. Ensure good ventilation/exhaustion. Avoid breathing dust/fume. Do not use at high temperatures. Do not heat. If this product may be used at high temperatures or heated, provide good ventilation and local exhaust ventilation system.
	Avoidance of contact Hygiene measures	See Section 10, Stability and reactivity. Wash hands thoroughly after handling.
Storage	Conditions for safe storage	Stable at normal storage conditions. Storage at or below 25° C and 60% RH is preferred.
	Safe containers and packaging materials	No restriction for packaging materials. Use containers which will not be broken.
8. Exposure controls/personal p	protection	
Control concentration		
Allowable concentration		Not set
Engineering measures		Install equipment in Section 8, Exposure controls/personal protection. Wear protective equipment.
Protective equipment	Respiratory protection	Wear appropriate respiratory protection if ventilation is not enough.
	Hand protection	Wear eye protection.
	Eye protection	Wear personal protective equipment including protective clothing and protective mask if necessary.
	Skin and body protectior	Wear personal protective equipment including protective clothing and protective mask if necessary.

9. Physical and chemical properties

Appearance

	Appearance		
		Physical state Color	Solid Light brown
(Odor		Odorless
I	Melting point/freezing point		Not available
	Boiling point, initial boiling point, and boiling range		Not available
I	Flammability		Flame Retardancy
ι	Lower explosion limit and upper explosion limit/flammable limit		
		Lower	Not available
		Upper	Not available
I	Flash point		Not available
,	Autoignition temperature		Not available
I	Decomposition temperature		Not available
I	pH		Not available
١	Viscosity		Not available

	FABRIC FGP Series, FGA Series	,MS Series	CHUKOH CHEMICAL INDUSTRIES, LTD.	1-Feb-2024	4 /
Solubility		Insol	uble in water.		
Partition coefficient (n-octa	ano	Not a	vailable		
Vapor pressure		Not a	vailable		
Density and/or relative den	sity	Not a	vailable		
Relative gas density		Not a	vailable		
Particle characteristics		Not a	vailable		
Other data		Not a	vailable		
10. Stability and reactivity					
Reactivity Chemical stability		Stabl Decc	vailable e under normal storage and handlin mposes on heating or burning, emi ling those of hydrogen fluoride.		
Possibility of hazardous rea	octions		rdous reaction or polymerization g ssive pressure/heat will not occur.		
Conditions to avoid		Not a	vailable		
Incompatible materials			powders such as aluminum and m ne compounds such as fluorine an pride.	-	
Hazardous decomposition p	roducts	hydro	nal decomposition will generate lar gen fluoride, carbonyl fluoride, etc eratures.		
11. Toxicological information					
Acute toxicity					
	Oral Dermal Inhalation (vapor)	Not a	vailable vailable vailable		

	Dermal	Not available
	Inhalation (vapor)	Not available
	Inhalation (dust)	Not available
Skin corrosion/irritation		Not available
Serious eye damage/eye irrita	tion	Not available
Respiratory or skin sensitization	on	Not available
Germ cell mutagenicity		Not available
Carcinogenicity		Not available
Reproductive toxicity		Not available
Specific target organ toxicity	(single exposure)	Not available
Specific target organ toxicity	(repeated exposure)	Not available
Swallowing hazard		Not available
Others	Thermal decomposition of	of fluoropolymers r

may generate polymer fumes, hydrogen fluoride, carbonyl fluoride, and perfluoroisobutylene. The toxicity information is as follows.

Effects on humans

Inhalation of fumes from burning may produce polymer fume fever, a temporary flu-like condition with fever, chills and cough. This may last for a whole day and night. Skin absorption will not occur. There are no reports of sensitization.

	FABRIC FGP Series, FGA Series, M	IS Series CHUKOH CHEMICAL INDUSTRIES, LTD. 1-Feb-2024 5 / 6
	Effects of hydrogen fluoride	Inhalation of low concentrations of hydrogen fluoride can initially include symptoms of choking, coughing, and severe eye, nose, and throat irritation, fever, chills for one to two days, followed by difficulty in breathing, cyanosis, and pulmonary edema. Overexposure to hydrogen fluoride can injure the liver and kidneys.
	Effects of carbonyl fluoride	Skin: Irritation with discomfort or rash Eye: Corrosion with corneal or conjunctival ulceration Upper respiratory passage: Irritation Lung: Temporary irritation effects with cough, discomfort, difficulty in breathing, or shortness of breath (Individuals with pre-existing diseases of the lungs may have increased susceptibility to the toxicity after excessive exposures to thermal decomposition products.)
	Effects of perfluoroisobutylene	Even trace amounts are extremely toxic.
12. Ecological information		
Ecotoxicity		Not available
		Handle with care as leakage or disposal may affect the environment. In particular, ensure that the product does not flow directly into the ground, rivers or drains.
Persistence and degradabili ecological accumulative pro Mobility in soil Hazardous to the ozone lay	perty	Not available Not available Not available Does not contain any substances that deplete the ozone layer listed in Annexes to the Montreal Protocol.
13. Disposal considerations		
Waste from residues		Dispose in accordance with applicable laws and regulations and standards of local governments. Entrust the disposal to a licensed waste disposal contractor or a local public body who conducts the disposal. When entrusting the disposal to a disposal contractor, notify the danger and toxicity thoroughly to the contractor.
Contaminated container and	d packaging	Dispose in accordance with applicable laws and regulations and standards of local governments.
14 Turnen aut information		
14. Transport information UN number		Not dangerous goods
Item (UN transport name)		Not dangerous goods
UN Classification		Not dangerous goods
Container grade		Not dangerous goods
marine pollutant		Not dangerous goods
Liquid substances transport in bulk according to MARPO 73/78 Annex II and IBC Co	DL	Not dangerous goods

Special safety measures for transportation or means of transportation		Confirm that there is no damage, corrosion, or leakage of the containers before transportation. Avoid direct sunlight at transportation. Load containers not to cause damage, corrosion or leakage and thoroughly prevent load collapse. Do not stack heavy objects.
Regulatory information on domestic re	gulations, if any	Not applicable
15. Regulatory information Applicable laws and regulations and information on requi		rements imposed by such laws and regulations
Pollutant Release and Transfer Register (PRTR)		Not applicable
Industrial Safety and Health Law		Not applicable
Poisonous and Deleterious Substances Control Act		Not applicable
Other applicable laws and regulations and information on requirements imposed by		Not applicable
16. Other information		
		Hazard statements herein are made based on the assumption of industrial use and general handling. Handle with care at the actual use by referring to the hazard statements herein.
Res	trictions on use	This product is not intended for medical use. Do not use this product for implant or in a way that will contact with the body fluid or tissue. Consult with us in advance if it is expected to use the product in medical field.
Ref	erences	SDS made by raw material manufacturers.

The information herein may be revised if any new findings are obtained.

Values of concentration and physical and chemical properties are not guaranteed values.

Hazards identification was prepared based on the documents, information and data available at the time of preparation, but it does not mean that all documents, information and data are covered.