Safety Data Sheet (SDS)

Date prepared 29-Apr-2016 Date revised 1-Apr-2022

Applicable products	CHUKOH FLO [™] Skived tape (MSF、MSM、MSE) CHUKOH FLO [™] PTFE sheet CHUKOH FLO [™] Bubbling sheet CHUKOH FLO [™] PTFE Integrated tank CHUKOH FLO [™] PTFE rod CHUKOH FLO [™] PTFE pipe		
1. Product and company identification			
	Product name Product code	See the applicable products above. -	
	Company name Address	CHUKOH CHEMICAL INDUSTRIES, LTD. ATT New Tower 10F, 2-11-7, Akasaka, Minato-ku, Tokyo	
	Telephone Fax Recommended use Restrictions on use Information on domestic manufacturers, etc.	03-6230-4414/81-3-6230-4417 03-6230-4413/81-3-6230-4446 For industrial use For industrial use See above	
2. Hazards identification			
GHS Classification		Not applicable	
GHS label elements		Not applicable	
Pictures or symbols		No information available	
Warning statements		No information available	
Hazard information		No information available	
Cautionary statements		No information available	
Other hazards not related to addressed by the GHS classification	or	No information available	
Summary of important indicat and possible emergencies	ions	No information available	
Other		Not hazardous under normal handling. Heating fluorocarbon resin produces pyrolysis products (fumes), which may cause eye, nose, and lung irritation if inhaled.	

3. Composition/information on ingredients Substance/Mixture

Mixture

Chemical name or generic name	Concentration or concentration ranges	Reference No. in gazetted list in Japan		
		Chemical Substances Control Law		CAS No.
Polytetrafluoroethylene (PTFE)	100%	6–939	6–939	9002-84-0

Ingredients contributing to GHS classification

No information available

4.	First-aid measures	
	Inhalation	If fumes from heating or burning are inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice/attention if you feel unwell.
	Skin contact	Wash with plenty of soap and water. If molten polymer contacts skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Seek medical advice/attention if irritation occurs.
	Eye contact	Flush eyes cautiously with water for several minutes. Seek medical advice/attention if irritation persists.
	Ingestion	Rinse mouth. Seek medical advice/attention if you feel unwell.
	The most important manifestations of acute and delayed symptoms	No information available
	Precautions necessary for the protection of persons who provide first-aid measures	No information available
	Special precautions for physicians	No information available
5.	Fire-fighting measures	
	Appropriate fire extinguishing media	Use extinguishing media appropriate for surrounding fire: Water, foam, powder, etc.
	Fire extinguishing media that should not be used in case of fire	No information available
	Specific fire hazards	This product hardly flammable. Fire may produce irritating, corrosive, and/or toxic gas.
	Specific fire extinguishing methods	Move product from fire area if you can do so without risk.
		Fight fire from maximum distance and use unmanned hose holders or monitor nozzles.
	Special protective equipment and precautions for firefighters	Wear self-contained breathing apparatus (SCBA). Firefighters should wear protection clothing and self- contained breathing apparatus (SCBA).
	Cautions	When fluorocarbon resin is exposed to high temperatures, it produces harmful particulates, fumes, and gases. In case of fire, evacuate upwind as far as possible to avoid inhalation.
6.	Accidental release measures	
	Personal precautions, protective equipment and emergency procedures	Wear suitable protective equipment (see Section 8, Exposure controls/personal protection) to prevent inhalation and exposure of eyes or skin.
	Environmental precautions	Avoid discharge to rivers and environmental effects.
	Methods and materials for containment and cleaning up	Break into small pieces. Collect if scatter. Dispose in accordance with Section 13.
	Measures to prevent secondary accidents	No information available
7.	Handling and storage	
	Handling	
	Technical measures	Install equipment in Section 8, Exposure controls/personal protection. Wear protective equipment.

		ISM、MSE), PTFE sheet, Bubbling sheet, PTFE Integrated tank, PTFE rod, PTFE pipe,
	Precautions for safe handling	CHUKOH CHEMICAL INDUSTRIES, LTD., 18-April-2022 3/6 Prohibit the use of heat, sparks, and fire in the surrounding area. Watch out for fire. Do not carry cigarettes, cigars or tobaccos and do not smoke in the workplace as decomposition gas may be inhaled by smoking if the substance contacts them. Ensure good ventilation/exhaustion. Avoid breathing dust/fume. Wash hands thoroughly after handling. Do not use and heat this products over 260°C. If there is a risk of above, good ventilation is necessary and also local exhaust equipment is to be installed.
	Avoidance of contact Hygiene measures	See Section 10, Stability and reactivity. Wash hands thoroughly after handling.
Storage	Conditions for safe storage	Stable at normal storage conditions. Storage at or below 25°C and 60% RH is preferred. Keep away from oxidizing agents.
	Safe containers and packaging materials	No restriction for packaging materials. Use containers which will not be broken.
8. Exposure controls/personal p	rotection	
Control concentration		N
Allowable concentration Engineering measures		Not set In a process to heat over 260°C, good ventilation is necessary and also local exhaust equipment is to be installed.
Protective equipment	Respiratory protection	Wear appropriate respiratory protection if ventilation is
		not enough.
	Hand protection	Wear eye protection.
	Eye protection	Wear personal protective equipment including protective clothing and protective mask if necessary.
	Skin and body protection	Wear personal protective equipment including protective clothing and protective mask if necessary.
9. Physical and chemical propert Appearance	ies	
	Physical state Color	Solid White
Odor		Odorless
Melting point/freezing point		Not available
Boiling point, initial boiling point, and boiling range		Not available
Flammability		Flame Retardancy
Lower explosion limit and upper explosion limit/flammable limit		
	Lower	Not available
Electron al st	Upper	Not available
Flash point		Not available

	Skived tape (MSF、MSM、MSE), PTFE sheet, Bubbling sheet, PTFE Integrated tank, PTFE rod, PTFE pipe,
Autoignition temperature	CHUKOH CHEMICAL INDUSTRIES, LTD., 18-April-2022 4 / 6 Not available
Decomposition temperature	Not available
pH	Not available
Viscosity	Not available
Solubility	Not available
Partition coefficient (n-octano	Not available
Vapor pressure	Not available
Density and/or relative density	2.1−2.3g/cm ³
Relative gas density	Not available
Particle characteristics	Not available
Other data	Not available
10. Stability and reactivity	
Reactivity	Hazardous reactions will not occur under normal conditions. Begins to decompose, very slowly, at temperatures above 260°C. Thermal decomposition is more rapid at temperatures above 400°C.
Chemical stability	Stable under normal storage and handling conditions. May react with metal powders such as aluminum and magnesium or with fluorine compounds such as fluorine and chlorine trifluoride, and cause fire and explosion.
Possibility of hazardous reactions	Hazardous reaction or polymerization generating excessive pressure/heat will not occur.
Conditions to avoid	Heat. Contact with incompatible materials.
Incompatible materials	Metal powders such as aluminum and magnesium or fluorine compounds such as fluorine and chlorine trifluoride.
Hazardous decomposition products	Thermal decomposition of this product may evolve the following decomposition products at the following temperatures: Carbonyl fluoride and hydrogen fluoride (above 400°C). Tetrafluoroethylene (above 430°C). Hexafluoropropylene (above 440°C). Perfluoroisobutylene (above 475°C).
11. Toxicological information	
Acute toxicity	
Oral	LD50 in mouse : 1,250mg∕kg LD50 in rat : 12,500mg∕kg
	Not available ion (vapor) Not available ion (dust) Not available Not available Not available
Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity	Not available Not available Not available Not available

Not available

Specific target organ toxicity (single exposure)

Specific target organ toxicit		F, MSM, MSE), PTFE sheet, Bubbling sheet, PTFE Integrated tank, PTFE rod, PTFE pipe CHUKOH CHEMICAL INDUSTRIES, LTD., 18-April-2022 5 / 6 Not available
Swallowing hazard	,	Not available
Others	•	n of fluoropolymers may generate polymer fumes, hydrogen ide, and perfluoroisobutylene. The toxicity information is as
	Effects on humans	Inhalation of fumes from burning may produce polymer fume fever, a temporary flu-like condition with fever, chills and cough. This may last for a whole day and night. Skin absorption will not occur. There are no reports of sensitization.
	Effects of hydrogen fluoride	Inhalation of low concentrations of hydrogen fluoride can initially include symptoms of choking, coughing, and severe eye, nose, and throat irritation, fever, chills for one to two days, followed by difficulty in breathing, cyanosis, and pulmonary edema. Overexposure to hydrogen fluoride can injure the liver and kidneys.
	Effects of carbonyl fluoride	Skin: Irritation with discomfort or rash Eye: Corrosion with corneal or conjunctival ulceration Upper respiratory passage: Irritation Lung: Temporary irritation effects with cough, discomfort, difficulty in breathing, or shortness of breath (Individuals with pre-existing diseases of the lungs may have increased susceptibility to the toxicity after excessive exposures to thermal decomposition products.)
	Effects of perfluoroisobutylene	Even trace amounts are extremely toxic.
12. Ecological information		
Ecotoxicity		Not available
		Handle with care as leakage or disposal may affect the environment. In particular, ensure that the product does not flow directly into the ground, rivers or drains.
Persistence and degradabilit ecological accumulative prop	-	Not available Not available Not available
Mobility in soil Hazardous to the ozone laye	er	Does not contain any substances that deplete the ozone layer listed in Annexes to the Montreal Protocol.
13. Disposal considerations		
Waste from residues		Dispose in accordance with applicable laws and regulations and standards of local governments. Entrust the disposal to a licensed waste disposal contractor or a local public body who conducts the disposal. When entrusting the disposal to a disposal contractor, notify the danger and toxicity thoroughly to the contractor.
Contaminated container and	packaging	Dispose in accordance with applicable laws and regulations and standards of local governments.
14. Transport information		
UN number		Not dangerous goods
Item (UN transport name)		Not dangerous goods

Item (UN transport name)

Not dangerous goods

	Skived tape (MSF、I	MSM、MSE), PTFE sheet, Bubbling sheet, PTFE Integrated tank, PTFE rod, PTFE pipe, CHUKOH CHEMICAL INDUSTRIES, LTD., 18-April-2022 6 / 6
UN Classification		Not dangerous goods
Container grade		Not dangerous goods
marine pollutant		Not dangerous goods
Liquid substances transported in bulk according to MARPOL 73/78 Annex II and IBC Code		Not dangerous goods
Special safety measures for transportation or means of transportation		Confirm that there is no damage, corrosion, or leakage of the containers before transportation. Avoid direct sunlight at transportation. Load containers not to cause damage, corrosion or leakage and thoroughly prevent load collapse. Do not stack heavy objects.
Regulatory information on domes	tic regulations, if any	Not applicable
15. Regulatory information		
Applicable laws and regulations a	nd information on requ	irements imposed by such laws and regulations
Pollutant Release and Transfer Register (PRTR)		Not applicable
Industrial Safety and Health Law		Not applicable
Poisonous and Deleterious Substances Control Act		Not applicable
Other applicable laws and regulations and information on requirements imposed by		Not applicable
16. Other information		
		Hazard statements herein are made based on the assumption of industrial use and general handling. Handle with care at the actual use by referring to the hazard statements herein.
	Restrictions on use	This product is not intended for medical use. Do not use this product for implant or in a way that will contact with the body fluid or tissue. Consult with us in advance if it is expected to use the product in medical field.
	References	SDS made by raw material manufacturers.

The information herein may be revised if any new findings are obtained.

Values of concentration and physical and chemical properties are not guaranteed values. Hazards identification was prepared based on the documents, information and data available at the time of preparation, but it does not mean that all documents, information and data are covered.