## Safety Data Sheet (SDS)

Date prepared 8-Apr-2016
Date revised 30-May-2019

Applicable products

Chukoh Flo<sup>TM</sup> Fluororesin Adhesive Tape

AGF-100 FR, AGF-100, AGF-100A, AGF-100T,

AGF-101, AGF-103T, AGF-900,

AGF-300 • 400 • 500 • 600 series with release liner

1. Product and company identification

Product name See the applicable products above.

Company name CHUKOH CHEMICAL INDUSTRIES, LTD.

Address ATT New Tower 10F, 2-11-7, Akasaka, Minato-ku, Tokyo

Telephone 03-6230-4414/81-3-6230-4417 Fax 03-6230-4413/81-3-6230-4446

Recommended use and For industrial use

restrictions on use

2. Hazards identification GHS Classification

Not applicable

Mixture

3. Composition/information on ingredients

Substance/Mixture

Chemical name or generic name	Concentration or concentration ranges	Chemical formula	Reference No. in gazetted list in Japan		
			Chemical Substances Control Law	Industrial Safety and Health Act	CAS No.
Fluoro resin	34-64%	_	_	_	_
Glass	18-57%	Not identifiable	Not applicable(Mi xture)	Not known	65997-17-3
Adhesive material of silicone group	5.0-36%	Not identifiable	Not known	Not known	_

Impurities and stabilizing additives which contribute to the classification of the substance

No information available

4. First-aid measures

Inhalation If fumes from heating or burning are inhaled, remove to fresh

air and keep at rest in a position comfortable for breathing.

Seek medical advice/attention if you feel unwell.

Skin contact Wash with plenty of soap and water.

If molten polymer contacts skin, cool rapidly with cold water.

Do not attempt to peel polymer from skin.

Seek medical advice/attention if irritation occurs.

Eye contact Flush eyes cautiously with water for several minutes.

Seek medical advice/attention if irritation persists.

Ingestion Rinse mouth.

Seek medical advice/attention if you feel unwell.

5. Fire-fighting measures

Extinguishing media Small fires: Dry chemical, carbon dioxide, water spray, and

general foam.

Large fires: Water spray, water mist, and general foam.

Specific hazards Fire may produce irritating, corrosive, and/or toxic gas.

Specific fire-fighting procedures Move product from fire area if you can do so without risk.

Special protective equipment and precautions for firefighters Wear self-contained breathing apparatus (SCBA).

Firefighters should wear protection clothing and self-

contained breathing apparatus (SCBA).

## 6. Accidental release measures

Personal precautions, protective equipment and emergency

procedures

Wear suitable protective equipment (see Section 8, Exposure controls/personal protection) to prevent inhalation and

exposure of eyes or skin.

Environmental precautions

Methods and materials for containment and cleaning up

Avoid discharge to rivers and environmental effects. Break into small pieces. Collect if scatter. Dispose in

accordance with Section 13.

## 7. Handling and storage

Handling

Technical measures

Install equipment in Section 8, Exposure controls/personal

protection. Wear protective equipment.

Precautions for safe

handling

Do not carry cigarettes, cigars or tobaccos and do not smoke in the workplace as decomposition gas may be inhaled

by smoking if the substance contacts them.

Do not eat, drink or smoke when using the product. Prohibit the use of heat, sparks, and fire in the surrounding

Watch out for fire.

Do not touch, inhale or swallow this product.

Use exhaust ventilation to maintain airborne levels below

exposure limits.

Avoidance of contact Hygiene measures

See Section 10, Stability and reactivity. Wash hands thoroughly after handling.

Storage

Conditions for safe

storage

Stable at normal storage conditions. Storage at or below

25°C and 60% RH is preferred.

Safe containers and packaging materials

No restriction for packaging materials. Use containers which

will not be broken.

## 8. Exposure controls/personal protection

Allowable concentration

Not set

Engineering measures Use explosion-proof

electrical/ventilating/lighting/equipment.

Good general ventilation should be sufficient to control

airborne levels.

If dust or fume is generated at high temperature install ventilation equipment to keep concentration of air pollutant below administrative level/allowable concentration limit.

Protective equipment

Respiratory protection

Wear respiratory protection.

Wear air-supplied respirators or gas mask for organic gas.

Hand protection

Wear gloves.

Eye protection

Wear eye protection. Protective eyeglasses (ordinary glasses, ordinary glasses

with side shields, and goggles)

Skin and body protection

Wear personal protective equipment including protective

clothing and protective mask if necessary. Wear impermeable protective clothing.

9. Physical and chemical properties

Appearance

Physical state

Solid

Form Color

Tape Light brown Odorless

Odor Odor threshold

Not available Not available Not available Not available

Melting point/freezing point Boiling point, initial boiling point, Flash point Not available Not available

Evaporation rate (butyl

Flammability (solid, gas)

Flammable/explosive limit

acetate=1)

Lower

Upper

Flame Retardancy Not available

Vapor pressure Vapor density (Air=1) Specific gravity (density) Not available Not available Not available Not available

Not available

Solubility Insoluble in water. Swells in some solvents.

Partition coefficient (n-

octanol/water)

Not available Autoignition temperature Decomposition temperature Not available Not available Viscosity

10. Stability and reactivity

Reactivity Hazardous reactions will not occur under normal conditions.

Begins to decompose, very slowly, at temperatures above 260°C. Thermal decomposition is more rapid at temperatures

above 400°C.

Chemical stability Stable under normal storage and handling conditions.

May react with metal powders such as aluminum and magnesium or with fluorine compounds such as fluorine and

chlorine trifluoride, and cause fire and explosion.

Possibility of hazardous reactions Hazardous reaction or polymerization generating excessive

pressure/heat will not occur.

Conditions to avoid Heat. Contact with incompatible materials.

Incompatible materials Metal powders such as aluminum and magnesium or fluorine

compounds such as fluorine and chlorine trifluoride. Thermal decomposition of this product may evolve the following decomposition products at the following

temperatures: Carbonyl fluoride and hydrogen fluoride (above

400°C). Tetrafluoroethylene (above 430°C).

Hexafluoropropylene (above 440°C). Perfluoroisobutylene

(above 475°C).

11. Toxicological information

Hazardous decomposition products

Acute toxicity Oral Not available

> Dermal Not available Inhalation (vapor) Not available Inhalation (dust) Not available Not available

Skin corrosion/irritation Serious eye damage/eye irritation Not available

Respiratory sensitization Not available Skin sensitization Not available Germ cell mutagenicity Not available Carcinogenicity Not available

Reproductive toxicity Not available Not available Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Not available

Aspiration hazard Not available

Others Effects on humans Inhalation of fumes from burning may produce polymer fume

fever, a temporary flu-like condition with fever, chills and

cough.

This may last for a whole day and night.

Skin absorption will not occur. There are no reports of

sensitization.

Effects of hydrogen

fluoride

Inhalation of low concentrations of hydrogen fluoride can initially include symptoms of choking, coughing, and severe eye, nose, and throat irritation, fever, chills for one to two days, followed by difficulty in breathing, cyanosis, and pulmonary edema.

Overexposure to hydrogen fluoride can injure the liver and

Effects of carbonyl Skin: Irritation with discomfort or rash

fluoride Eye: Corrosion with corneal or conjunctival ulceration

Upper respiratory passage: Irritation

Lung: Temporary irritation effects with cough, discomfort,

difficulty in breathing, or shortness of breath

(Individuals with pre-existing diseases of the lungs may have increased susceptibility to the toxicity after excessive

exposures to thermal decomposition products.)

12. Ecological information

Hazardous to the aquatic environment (acute)

Not available

Hazardous to the aquatic environment (long-term)

Not available

Hazardous to the ozone layer Does not contain any substances that deplete the ozone

layer listed in Annexes to the Montreal Protocol.

13. Disposal considerations

Waste from residues Dispose in accordance with applicable laws and regulations

and standards of local governments.

Entrust the disposal to a licensed waste disposal contractor

or a local public body who conducts the disposal.

When entrusting the disposal to a disposal contractor, notify the danger and toxicity thoroughly to the contractor. Dispose in accordance with applicable laws and regulations

and standards of local governments.

14. Transport information

Contaminated container and packaging

International regulations Regulatory Information by

Information by

Not dangerous goods

Regulatory Information by

Not dangerous goods

Air

Domestic regulations (Japan) Land transport regulations Not applicable

Marine transport Not dangerous goods
Air transport regulations Not dangerous goods

Special safety measures

Confirm that there is no damage, corrosion, or leakage of the

containers before transportation.

Avoid direct sunlight at transportation. Load containers not to cause damage, corrosion or leakage and thoroughly

prevent load collapse.

Do not stack heavy objects.

Emergency Response Guidebook No.

15. Regulatory information

None applicable

None

16. Other information

Hazard statements herein are made based on the assumption of industrial use and general handling. Handle with care at the actual use by referring to the hazard

statements herein.

Restrictions on use This product is not intended for medical use. Do not use this

product for implant or in a way that will contact with the

body fluid or tissue.

Consult with us in advance if it is expected to use the

product in medical field.

References SDS made by raw material manufacturers.

The information herein may be revised if any new findings are obtained.

Values of concentration and physical and chemical properties are not guaranteed values.

Hazards identification was prepared based on the documents, information and data available at the time of preparation, but it does not mean that all documents, information and data are covered.